



STYLETECH 9000 SERIES 2 MIL METALIZED POLYESTER (Includes Diamond Deck Plate & Galvanized)

TYPICAL PHYSICAL PROPERTIES: 2 MIL METALIZED POLYESTER FILM WITH PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE

A. PHYSICAL PROPERTIES:

Film Thickness

Liner

2 mil

78 lb. release liner

B. ADHESION PROPERTIES:

PEEL - PSTC-1 (Instant R.T.)

SHEAR - PSTC -7

50 oz/in

1000 grams/ l" wide 250 hours/no failure

C. RESISTANCE RATINGS

Water

Humidity

Abrasion

Solvent

Excellent (Submerged for 1 week in 70° water 24hr.

after applied to substrate

Excellent

Good. Edge sealing recommended for certain

holographic applications.

Good. Edge sealing recommended for best results.

D. SERVICE TEMPERATURE

-40°F to 180°

E. SHELF LIFE

2 years stored under 70° and 50% relative humidity

F. OUTDOOR DURABILITY

Up to 2 years for Silver Chromes.

Up to 2 years for Diamond Deck Plate & Galvanized Gold Chromes are recommended for indoor use only.

Up to 2 years for Holographics

Holographics not recommended for automotive use.

Note: All information based on tests believed to be reliable. These values do not constitute guaranty and do not constitute a warranty. Purchaser is to independently determine suitability of this material for specific purpose