

Product Description

Metamark Frost which gives an opal etched glass effect, provides a medium level of opacity. The 80 micron PVC is resistant to most mineral oils, fats and fuels, aliphatic solvents, mild acids, diesel, gasoline, paraffin, hydraulic oil, antifreeze, soap suds etc.

Typical Applications

The product provides a simulated frosted glass for application when to windows. The monomeric calendered film and solvent based pressure sensitive acrylic adhesive allow trouble free computer cutting and application and medium term durability.

Face Film

Face Film:	Clear matt calendered vinyl
Gauge:	80 micron nominal
Tensile Strength	65N/25mm MD / 45N/25mm TD nom.
Elongation at break	180% MD nominal
Shrinkage	Minimal

Release Liner

Type	An advanced specially treated layflat kraft paper with high internal strength and PE coating
Gauge	145mym nominal
Weight	140 gsm nominal

Adhesive

Type	Permanent pressure sensitive acrylic
Weight	20gsm nominal
Adhesion to glass 20 mins	15N/25mm nominal
Adhesion to glass 24 hour	20N/25mm nominal
Perceived tack	Medium
Shear strength	Medium to high
Application temperature	+5°C to +60°C
Service temperature	-30°C to +110°C

Finishes

Finishes	Monomeric Etch Glass Effect
----------	-----------------------------

Durability

Shelf Life	1 year
External weathering	3 years in vertical exposure under Australian conditions
Fire Rating	Self-extinguishing. The fire rating is a function of the substrate.

Warranty: Metamark (UK) Limited warrants to its customers that completed decorative markings which utilise Metamark SignVinyl will remain in good condition without excessive fading or colour degradation for the specified life time of each material when correctly stored and applied in accordance with procedures outlined in the technical literature. If within the specified years of normal use Metamark SignVinyl becomes ineffective for its intended use, then Metamark will provide sufficient material to produce a new replacement marking, and will also, at its own discretion, contribute an allowance towards the costs involved replacing the graphics.

Please Note: The above data is given in good faith to provide an indication of the performance of the product. Purchasers should consider the suitability of each product for its intended use and the purchaser assumes all risks in connection with such use. Seller shall not be liable for damages in excess of the purchase price of the product nor for incidental nor consequential loss.



HEAD OFFICE
49 Lakewood Boulevard, Carrum Downs Vic 3201
Phone: 03 8773 4100 Fax: 03 9775 1975
Email: info@conect.net.au

EASTERN OFFICE
10/126 Merrindale Drive, Croydon South Vic 3136
Phone: 03 9761 7171 Fax: 03 9761 7007
Email: croydonales@conect.net.au